UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/552,558	12/14/2006	Horst Lange	GEB-16311	8969
	7590 08/05/200 L & CLARK LLP	EXAMINER		
23755 Lorain R	oad - Suite 200	ZIMMER, MARC S		
North Olmsted, OH 44070-2224			ART UNIT	PAPER NUMBER
			1796	
			MAIL DATE	DELIVERY MODE
			08/05/2009	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.



UNITED STATES DEPARTMENT OF COMMERCE U.S. Patent and Trademark Office

Address: COMMISSIONER FOR PATENTS

P.O. Box 1450

Alexandria, Virginia 22313-1450

APPLICATION NO./	FILING DATE	FIRST NAMED INVENTOR /	ATTORNEY DOCKET NO.
ALLEGATION NO.	TILINO DATE	TINOT NAMED INVENTORY	ATTORNET BOOKET NO.
CONTROL NO.		PATENT IN REEXAMINATION	
CONTROL NO.		PATENT IN REEXAMINATION	

10552558 12/14/06 LANGE ET AL. GEB-16311

RANKIN, HILL & CLARK LLP 23755 Lorain Road - Suite 200 North Olmsted, OH 44070-2224 **EXAMINER**

MARC S.. ZIMMER

ART UNIT PAPER

1796 20090801

DATE MAILED:

Please find below and/or attached an Office communication concerning this application or proceeding.

Commissioner for Patents

The reply filed on May 19, 2009 is not fully responsive to the prior Office Action because of the following omission(s) or matter(s): Applicant failed to indicate whether they wished to proceed with an examination of those polymers containing biuret moieties or, instead, those polymers bearing alkoxysilyl groups. See 37 CFR 1.111. Since the above-mentioned reply appears to be bona fide, applicant is given ONE (1) MONTH or THIRTY (30) DAYS from the mailing date of this notice, whichever is longer, within which to supply the omission or correction in order to avoid abandonment. EXTENSIONS OF THIS TIME PERIOD MAY BE GRANTED UNDER 37 CFR 1.136(a).

> /Marc S. Zimmer/ Primary Examiner, Art Unit 1796